

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
3	2847	(717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 11:55
13	9763	(execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:42
24	1836	compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:02
30	7188	(emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:41
33	46518	(sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:57
31	22		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:05
36	4		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:06
37	2103	emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:11
38	4	((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:12
39	2812	emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:14

40	4	((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:12
41	313	(emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:15
42	52	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:15
44	46	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:16

45	40	(((((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:17
46	40	(((((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:23
47	7	((emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:23
64	2	("6463582").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56
66	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56
67	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (compiler\$1 with (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:56

68	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
70	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1 or input\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
71	0	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (emulat\$3 with ((receiv\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or provid\$3) with (cod\$3 or program\$4 or instruction\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
69	1	((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or conserv\$6) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:02

74	1	((((("6463582").PN.) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and ((emulat\$3 or compiler\$1) near20 ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((sav\$3 or emit\$4 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$reserv\$5 or warehous\$3 or conserv\$6) with cache\$1)) and (link\$3 with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1 or segment\$1 or block\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:04
----	---	--	---	------------------

L Number	Hits	Search Text	DB	Time stamp
-	13958	((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	692699	(translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:07
-	7123	((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	564	(((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:06
-	17563	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:08
-	145	(((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:08
-	28646	(sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:10

-	73	(((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:15
-	42	(((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:18
-	422566	(exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:19

-	33	((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:20
-	8953	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (application near5 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:40
-	5	((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (application near5 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:38

-	10634	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:54
-	7	(((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:41
-	4872	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:50

-	3	(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)) and (((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application near5 interface\$1) or API)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:50
-	17216	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same ((application or program\$5)near5 interface\$1) or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 12:55

-	11	<p>((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 12:56
-	7169	<p>(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 12:57

-	6	<p>((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1)) (execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 13:43
-	339762	<p>(execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/09 13:44

-	6	(((((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) same (((application or program\$5)near5 interface\$1) or API)) same (method\$1 or function\$1 or procedure\$1))) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:04
-	436	compiler\$1 with (api or ((application or program\$5) near4 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:23
-	51	(compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:05
-	4	((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:05

-	4	(((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:07
-	188	(compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:36
-	3	(((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((compiler\$1 with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:16
-	12307	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:38
-	248	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT	2004/08/09 14:25
-	55	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class))	USPAT	2004/08/09 14:25

-	304	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:26
-	13	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and ((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:26

-	8	(((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:27
-	5038	((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1 or instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:40

-	5	((((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (api or ((application or program\$5) near4 interface\$1))) same (method\$1 or function\$1 or procedure\$1 or instruction\$1)) and (((((((((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$1reserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)) and (virtual near2 (machine\$1 or memor\$3))) and ((exception\$1 or interrupt\$4 or fault\$1 or event\$1) with (handl\$3 or manag\$4 or control\$4 or administ\$6 or process\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:51
-	19317	(compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	399	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	156	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53
-	141	((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).class)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4)) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:53

-	25	(((((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:54
-	8	(((((compiler\$1 or emulator\$1 or interpret?r\$1 or linker\$1 or decoder\$1) with (interfac\$3 or API)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (((comput\$4 or program\$5) with (system\$1 or device\$1 or peripheral\$1 or machine\$1)) or hardware) with (emulat\$3 or imitat\$3 or mirror\$3 or mimic\$4))) and ((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1))) and (((translat\$3 or decod\$3 or encod\$3 or convert\$3 or interpret\$3 or map\$4 or compil\$5 or link\$3 or assembl\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1)) with (dynamic\$4 or real?time or run?time or just?in?time))) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 14:55
-	428	compiler near4 (API or interfac\$3)	USPAT	2004/08/09 17:17
-	2836	(717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:03
-	71	((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss) and (compiler near4 (API or interfac\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:11
-	605	compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:10

-	5	(compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss) and (compiler near4 (API or interfac\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:11
-	4061	cache\$1 near4 (API or interfac\$3)	USPAT	2004/08/09 17:22
-	1	((cache\$1 near4 (API or interfac\$3)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)) and (compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1)	USPAT USPAT	2004/08/09 17:18
-	65	(cache\$1 near4 (API or interfac\$3)) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT	2004/08/09 17:22
-	68	cache\$1 near4 API	USPAT	2004/08/09 17:33
-	1	(cache\$1 near4 API) and ((717/136 or 717/138 or 717/139 or 717/140 or 717/148 or 717/162 or 717/167 or 703/24 or 703/26 or 703/27).clss)	USPAT	2004/08/09 17:22
-	1	(cache\$1 near4 API) and (compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1)	USPAT	2004/08/09 17:26
-	3	6145056.URPN.	USPAT	2004/08/09 17:29
-	0	6145056.URPN. and (cache\$1 near4 (API or interfac\$3))	USPAT	2004/08/09 17:30
-	19	(cache\$1 near4 API) and (flush\$3 with cache\$1)	USPAT	2004/08/09 17:32
-	142	cache\$1 near4 API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:37

-	605	compiler\$1 with (interact\$3 or access\$3 or sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6 or receiv\$3 or retriev\$3 or input\$4 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or collect\$3 or obtain\$3 or secur\$3 or send\$3 or emit\$4 or emission\$1 or transmit\$4 or transmission\$1 or rout\$3 or transfer\$4 or return\$3 or output\$4 or distribut\$3 or transport\$5 or administer\$3 or dispens\$3 or pass\$3 or furnish\$3 or provid\$3 or provision or supply\$3 or deliver\$3) with cache\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:36
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:40
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:42
-	13	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:44
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:45
-	15	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	29	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	13	((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50

-	13	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 17:50
-	8	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 18:02
-	4	(((cache\$1 near4 API) and (flush\$3 with cache\$1)) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((sav\$3 or writ\$4 or stor\$4 or log\$4 or copi\$2 or copy\$3 or collect\$3 or \$lreserv\$5 or warehous\$3 or cach\$3 or conserv\$6) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((execut\$3 or launch\$3 or deploy\$3) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((receiv\$3 or read\$3 or look\$3 or retriev\$3 or fetch\$3 or intercept\$3 or accept\$3 or acquir\$3 or obtain\$3) with cache\$1))) and (((cache\$1 near4 API) and (flush\$3 with cache\$1)) and ((invalidat\$3 or delet\$3 or lock\$3 or cancel\$6 or nullif\$4) with (cod\$3 or program\$4 or software\$1 or application\$1 or instruction\$1) with cache\$1))) and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 18:03